


STARGATE LIGHTING

STARGATE LIGHTING

***106 CASTLE DRIVE
MADISON AL, 25758***

***WWW.STARGATELIGHTING.COM
SALES@STARGATELIGHTING.COM
256-858-1979***





FOLLOW SPOTS

1300W

700W






iP WASH LIGHTS

18x12 RGBAWUV



PRO WASH LIGHTS

18x6 RGBAWUV



DMX LASERS

RGB 3 BEAM

RGB RETRO 3 BEAM

FOLLOW SPOT

700W LED





LIGHT UP THE STARS

*ILLUMINATE YOUR PERFORMERS
IN A STUNNING SPOT LIGHT
WITH OUR HIGH-END LINE
600W LED ENGINE FOLLOW
SPOT! RIVALED ONLY BY OUR
1200W FOLLOW SPOT, THIS
INCREDIBLY BRIGHT FIXTURE
CAN ILLUMINATE SUBJECTS AT
OVER 450 FEET AWAY!*



MODERN DESIGN
*LOOKING AT THE OLD
MODEL OF FOLLOW SPOTS,
WE'VE SIGNIFICANTLY RE-
DUCED THE OVERALL
WEIGHT TO ALLOW FOR
MUCH EASIER PLACEMENT
AND MOVEMENT OF THIS
FIXTURE. WITH THE MO-
TORIZED DIMMING AND IRIS,
YOU WON'T HAVE TO
BREAK A SWEAT!*

HIGHLIGHTS / MAIN FEATURES

- DURABLE DIE CAST ALUMINUM HOUSING
- 600W WHITE LED ENGINE
- ADJUSTABLE COLOR TEMPERATURE
- PUSH BUTTON COLOR SELECT
- WHITE, RED, GREEN, BLUE, YELLOW, AND PINK COLOR
- 3 PIN DMX IN/OUT
- DMX CONTROL, MANUAL MODE
- MOTOR CONTROLLED IRIS, AND FOCUS
- LIGHTWEIGHT DESIGN FOR EASY TRANSPORTATION
- 15 - 150 METER SHOOTING RANGE
- TRIPOD MOUNT INCLUDED

FIXTURE SPECS

type	Follow Spot
dmx type	3 pin IN/OUT
DMX modes	7 channel
Control Modes	DMX 512, Manual
Light Engine	600W LED
Light Type	White, Red, Yellow, Blue, Green, Pink
Illuminance	32,200 lux @ 5m
Pan/Tilt Angle	Manual
Beam Angle	11.5 deg
Power Type	120/240V AC
Power Consumption	700W
Power Supply	PowerCon AC IN/OUT
Height	22.5"
Width	22.5"
Depth	40"
Weight	51 lbs, 62 with stand
IP rating	/
housing material	die-cast aluminum
housing color	black
operating temp	-4 - 104 F