


STARGATE LIGHTING

STARGATE LIGHTING

***106 CASTLE DRIVE
MADISON AL, 25758***

***WWW.STARGATELIGHTING.COM
SALES@STARGATELIGHTING.COM
256-858-1979***





FOLLOW SPOTS

1300W

700W





iP WASH LIGHTS

18x12 RGBAWUV



PRO WASH LIGHTS

18x6 RGBAWUV



DMX LASERS

RGB 3 BEAM

RGB RETRO 3 BEAM

PRO WASH LIGHT

18x6 RGBAWUV





POWER TO IMPRESS

UPGRADE TO THE NEXT LEVEL WITH OUR NEWEST AND MOST POWERFUL LINE OF WASH LIGHTS FEATURING THE 12x6Hex. WITH TOP OF THE LINE COLOR ENGINES, SUPERIOR LIGHT OUTPUT, AND UNIFORM BEAM OUTPUT, THIS FIXTURE WILL OUTPERFORM THE COMPETITION.



READY FOR ANY

APPLICATION

PERFECT FOR LARGE VENUES, ARENAS, THEATRES AND BALL ROOMS! GREAT FOR APPLICATIONS WITH HIGH-RISE CEILINGS, FAR THROW DISTANCES, OR WHERE YOU NEED A WIDER SPOT. ABILITY TO REDUCE THE NUMBER OF FIXTURES NEEDED TO MAXIMIZE YOUR COVERAGE AREA.



HIGHLIGHTS / MAIN

FEATURES

- DURABLE DIE CAST ALUMINUM HOUSING
- 18x6W HEX LED ENGINE PROVIDES SUPERIOR LIGHT OUTPUT
- RGB + UV + WHITE + AMBER OUTPUT
- 3 PIN AND 5 PIN DMX IN/OUT TO FIT ANY APPLICATION
- DMX OR SOUND ACTIVE CONTROL FOR EASY USE
- WIDE BEAM ANGLE FOR LARGER COVERAGE AREA
- POWERCON LOCKING AC ADAPTERS

FIXTURE SPECS

type	PAR
dmx type	3 pin IN/OUT, 5 pin IN/OUT
DMX modes	6, 10 channel
Control Modes	DMX 512, Auto, Master/Slave, Sound Active
LEDs	18x6 LED
LED type	hex (RGBWAUV)
Illuminance	1,210 lux @ 5m
Pan/Tilt Angle	/
Beam Angle	40 deg
Power Type	120/240V AC
Power Consumption	120W, 1A @ 120V
Power Supply	PowerCon AC IN/OUT
Height	12.7"
Width	11.7"
Depth	4.1"
Weight	10.5 lbs
IP rating	/
housing material	die-cast aluminum
housing color	black
operating temp	14 - 104 F