


STARGATE LIGHTING

STARGATE LIGHTING

*106 CASTLE DRIVE
MADISON AL, 25758*

*WWW.STARGATELIGHTING.COM
SALES@STARGATELIGHTING.COM
256-858-1979*





FOLLOW SPOTS

1300W

700W



iP WASH LIGHTS

18x12 RGBAWUV



PRO WASH LIGHTS

18x6 RGBAWUV







DMX LASERS

RGB 3 BEAM

RGB RETRO 3 BEAM

LINEAR WASH

5M05050 BAR



BRING SUNGLASSES

WOW YOUR CLIENTS AND CUSTOMERS WITH THIS UNBELIEVABLY BRIGHT LED WASH BAR. THIS FIXTURE UTILIZES SMD STYLE LEDs TO GET A SIGNIFICANTLY BRIGHTER LIGHT OUTPUT. WHAT'S EVEN BETTER IS THE PLETHORA OF BUILT IN PROGRAMS AND EFFECTS YOU CAN USE TO SET YOURSELF ABOVE THE REST.

PERFECT FOR ANY VENUE

WHETHER IT'S FOR A STANDARD HEIGHT WALL, OR THE HIGHRISE WALLS OF AN EVENT CENTER, THIS LIGHT WILL DO THE JOB. 63 DIODES PER SECTION WITH 12 SECTIONS!



HIGHLIGHTS / MAIN FEATURES

- **SMD5050 LED CHIP SET**
- **12 INDIVIDUALLY CONTROLLABLE SECTIONS**
- **UNBELIEVABLY BRIGHT LIGHT OUTPUT**
- **EVEN LINEAR BEAM DISTRIBUTION**
- **LIGHTWEIGHT DESIGN FOR EASY MOUNTING**
- **12 SECTION RGB COLOR**
- **8, 11, 36, AND 41 CHANNEL MODES**
- **DMX, SOUND ACTIVE, AUTO, AND MANUAL OPERATION**
- **60 INDIVIDUAL PRESET PATTERNS**

FIXTURE SPECS

type	Linear Wash
dmx type	3 pin IN/OUT
DMX modes	8, 11, 36, and 41 channel
Control Modes	DMX 512, Auto, Manual
Light Engine	200W LED
Light Type	White + Color Wheel
Illuminance	1580 lux @ 1m, 480 lux @ 2m
Pan/Tilt Angle	/
Beam Angle	120 degree
Power Type	120/240V AC
Power Consumption	370W
Power Supply	NEMA 5-15P IEC
Height	4.3"
Width	38"
Depth	4.3"
Weight	5.6 lbs
IP rating	IP20
housing material	aluminum
housing color	black
operating temp	-4 - 104 F